CONTENTS

SEPTEMBER 1998 VOLUME 140 NUMBER 1

Intracellular pH stability in the aquatic resurrection plant *Chamaegigas intrepidus* in the extreme environmental conditions that characterize its natural habitat. By P. Schiller, W. Hartung and R. G. Ratcliffe 1

Adaptations for an amphibious life: changes in leaf morphology, growth rate, carbon and nitrogen investment, and reproduction during adjustment to emersion by the freshwater macrophyte *Littorella uniflora*. By W. E. Robe and H. Griffiths 9

Changes in root hydraulic conductance (K_R) of *Olea oleaster* seedlings following drought stress and irrigation. By M. A. Lo Gullo, A. Nardini, S. Salleo and M. T. Tyree 25

Spatial distribution of chitinases and β-1,3-glucanase transcripts in bean arbuscular mycorrhizal roots under low and high soil phosphate conditions. By M. R. Lambais and M. C. Mehdy 33

Effects of carbon dioxide and nitrogen enrichment on a plant–insect interaction: the quality of *Calluna vulgaris* as a host for *Operophtera brumata*. By J. E. Kerslake, S. J. Woodin and S. E. Hartley 43

Susceptibility of ectomycorrhizal and non-mycorrhizal Scots pine (*Pinus sylvestris*) seedlings to a generalist insect herbivore, *Lygus rugulipennis*, at two nitrogen availability levels. By A.-M. Manninen, T. Holopainen and J. K. Holopainen 55

Elevated atmospheric CO_2 influences the interaction between the parasitic angiosperm *Orobanche minor* and its host *Trifolium repens*. By H. Dale and M. C. Press 65

Somatic and genetic factors in sun and shade population differentiation in *Plantago lanceolata* and *Anthoxanthum odoratum*. By D. A. Sims and S. Kelley 75

Influences of atmospheric CO_2 enrichment on the responses of sugar maple and trembling aspen to defoliation. By E. L. Kruger, J. C. Volin and R. L. Lindroth 85

Copper-deficiency-induced phytosiderophore release in the calcicole grass *Hordelymus europaeus*. By D. Gries, S. Klatt and M. Runge 95

Field evidence for the carbon cost of citrus mycorrhizas. By J. H. Graham and D. M. Eissenstat 103

Mathematical modelling of morphogenesis in fungi: spatial organization of the gravitropic response in the mushroom stem of *Coprinus cinereus*. By A. Meškauskas, D. Moore and L. Novak Frazer 111

A comparison of arbuscular and ectomycorrhizal *Eucalyptus coccifera*: growth response, phosphorus uptake efficiency and external hyphal production. By M. D. Jones, D. M. Durall and P. B. Tinker 125

Soluble and membrane symbiosis-related polypeptides associated with the development of arbuscular mycorrhizas in tomato (*Lycopersicon esculentum*). By K. Benabdellah, C. Azcón-Aguilar and N. Ferrol 135

Molecular diversity of ericoid mycorrhizal endophytes isolated from *Woollsia pungens*. By G. Liu, S. M. Chambers and J. W. G. Cairney 145

Effects of soil compaction on phosphorus uptake and growth of *Trifolium subterraneum* colonized by four species of vesicular–arbuscular mycorrhizal fungi. By H. Nadian, S. E. Smith, A. M. Alston, R. S. Murray and B. D. Siebert 155

Reviews 167

OCTOBER 1998 VOLUME 140 NUMBER 2

Editorial 171

Tansley Review No. 99

The release of genetically engineered micro-organisms and viruses into the environment. By G. Giddings 173

Effects of elevated CO_2 and soil quality on leaf gas exchange and above-ground growth in beech–spruce model ecosystems. By P. Egli, S. Maurer, M. S. Günthardt-Goerg and C. Körner 185

Temperature and ontogeny mediate growth response to elevated CO_2 in seedlings of five boreal tree species. By M. G. Tjoelker, J. Oleksyn and P. B. Reich 197

Implications of missing efflux sites on convective ventilation and amino acid metabolism in *Phragmites australis*. By H. Rolletschek, A. Bumiller, R. Henze and J.-G. Kohl 211

The effects of nutrient limitation on the response of *Plantago major* to ozone. By C. P. Whitfield, A. W. Davison and T. W. Ashenden 219

Above-ground competition does not alter biomass allocated to roots in *Abutilon theophrasti*. By B. B. Casper, J. F. Cahill, Jr and L. A. Hyatt 231

Primary and secondary host plants differ in leaf-level photosynthetic response to herbivory: evidence from *Alnus* and *Betula* grazed by the alder beetle, *Agelastica alni*. By J. Oleksyn, P. Karolewski, M. J. Giertych, R. Zytowiak, P. B. Reich and M. G. Tjoelker 239

Growth and C allocation of *Populus tremuloides* genotypes in response to atmospheric CO_2 and soil N availability. By M. E. Kubiske, K. S. Pregitzer, D. R. Zak and C. J. Mikan 251

Solute transport into healthy and powdery mildew-infected leaves of pea and uptake by powdery mildew mycelium. By J. I. M. Clark and J. L. Hall 261

Influence of epiphytic micro-organisms and leaf wettability: wetting of the upper leaf surface of *Juglans regia* and of model surfaces in relation to colonization by micro-organisms. By D. Knoll and L. Schreiber 271

Temporary phosphorus partitioning in mycelial systems of the cord-forming basidiomycete *Phanerochaete velutina*. By J. M. Wells, M. J. Harris and L. Boddy 283

Dark septate and endophytes: a review of facultative biotrophic root-colonizing fungi. By A. Jumponen and J. M. Trappe 295

Isolation and characterization of nitrate reductase deficient mutants of the ectomycorrhizal fungus *Hebeloma cylindrosporum*. By R. Marmeisse, P. Jargeat, F. Wagner, G. Gay and J.-C. Debaud 311

Sulphate uptake and xylem loading of mycorrhizal beech roots. By J. Kreuzwieser and H. Rennenberg 319

Cytolocalization of glycogen, starch, and other insoluble polysaccharides during ontogeny of *Paxillus involutus–Betula pendula* ectomycorrhizas. By M. N. Jordy, S. Azémar-Lorentz, A. Brun, B. Botton and J. C. Pargney 331

Effects of elevated CO_2 and temperature on growth and allometry of five native fast-growing annual species. By C. M. Stirling, M. Heddell-Cowie, M. L. Jones, T. W. Ashenden and T. H. Sparks 343

A new sampler for extracting undisturbed surface peat cores for growth pot experiments. By A. Buttler, P. Grosvernier and Y. Matthey 355

Reviews 361

NOVEMBER 1998 VOLUME 140 NUMBER 3

Tansley Review No. 100

Gibberellins: regulating genes and germination. By S. Ritchie and S. Gilroy 363

Tansley Review No. 101

The impact of Aboriginal landscape burning on the Australian biota. By D. M. J. S. Bowman 385

Antioxidative systems, pigment and protein contents in leaves of adult mediterranean oak species (*Quercus pubescens* and *Q. ilex*) with lifetime exposure to elevated CO_2. By P. Schwanz and A. Polle 411

Relative growth rate and biomass allocation in 20 *Aegilops* (Poaceae) species. By R. Villar, E. J. Veneklaas, P. Jordano and H. Lambers 425

Survival and recovery of perennial forage grasses under prolonged Mediterranean drought. I. Growth, death, water relations and solute content in herbage and stubble. By F. Volaire, H. Thomas and F. Lelièvre 439

Survival and recovery of perennial forage grasses under prolonged Mediterranean drought. II. Water status, solute accumulation, abscisic acid concentration and accumulation of dehydrin transcripts in bases of immature leaves. By F. Volaire, H. Thomas, N. Bertagne, E. Bourgeois, M.-F. Gautier and F. Lelièvre 451

Metabolic responses of Norway spruce (*Picea abies*) trees to long-term forest management practices and acute $(NH_4)_2SO_4$ fertilization: transport of soluble non-protein nitrogen compounds in xylem and phloem. By P. Weber, H. Stoermer, A. Geßler, S. Schneider, D. von Sengbusch, U. Hanemann and H. Rennenberg 461

Ontogeny affects response of northern red oak seedlings to elevated CO_2 and water stress. I. Carbon assimilation and biomass production. By P. D. Anderson and P. T. Tomlinson 477

Ontogeny affects response of northern red oak seedlings to elevated CO_2 and water stress. II. Recent photosynthate distribution and growth. By P. T. Tomlinson and P. D. Anderson 493

Varying the ratio of ^{15}N-labelled ammonium and nitrate-N supplied to perennial ryegrass: effects on nitrogen absorption and assimilation, and plant growth. By J. S. Bailey 505

Relationships between atmospheric nitrogen inputs and the vertical nitrogen and phosphorus concentration gradients in the lichen *Cladonia portentosa*. By M. Hyvärinen and P. D. Crittenden 519

Aerobic nitrogen fixation is confined to a subset of cells in the non-heterocystous cyanobacterium *Symploca* PCC 8002. By C. Fredriksson, G. Malin, P. J. A. Siddiqui and B. Bergman 531

Interactions between needles of *Pinus resinosa* and ectomycorrhizal fungi. By R. T. Koide, L. Suomi, C. M. Stevens and L. McCormick 539

Strip-cankering of beech (*Fagus sylvatica*): Pathology and distribution of symptomatic trees. By S. J. Hendry, D. Lonsdale and L. Boddy 549

The leafy stems of *Sphagnum* (Bryophyta) contain highly differentiated polarized cells with axial arrays of endoplasmic microtubules. By R. Ligrone and J. G. Duckett 567

Development of the leafy shoot in *Sphagnum* (Bryophyta) involves the activity of both apical and subapical meristems. By R. Ligrone and J. G. Duckett 581

Reviews 597

DECEMBER 1998 VOLUME 140 NUMBER 4

Tansley Review No. 102

Plant hybridization. By L. H. Rieseberg and S. E. Carney 599

Foliar application of nitrate or ammonium as sole nitrogen supply in *Ricinus communis*. II. The flows of cations, chloride and abscisic acid. By A. D. Peuke, W. D. Jeschke and W. Hartung 625

Can an increased copper requirement in copper-tolerant *Mimulus guttatus* explain the cost of tolerance? II. Reproductive phase. By F. A. Harper, S. E. Smith and M. R. MacNair 637

Persistent, non-seed-size maternal effects on life-history traits in the progeny generation in squash, *Cucurbita pepo*. By A. el-Keblawy and J. Lovett-Doust 655

How does the C_4 grass *Eragrostis pilosa* respond to elevated carbon dioxide and infection with the parasitic angiosperm *Striga hermonthica*? By J. R. Watling and M. C. Press 667

Response of photosynthesis of *Sphagnum* species from contrasting microhabitats to tissue water content and repeated desiccation. By B. Schipperges and H. Rydin 677

Carbon dioxide-concentrating mechanism and the development of extracellular carbonic anhydrase in the marine picoeukaryote *Micromonas pusilla*. By M. D. Iglesias-Rodríguez, N. A. Nimer and M. J. Merrett 685

Long-term exposure to enhanced ultraviolet-B radiation in the sub-arctic does not cause oxidative stress in *Vaccinium myrtillus*. By E. Taulavuori, M. Bäckman, K. Taulavuori, D. Gwynn-Jones, U. Johanson, K. Laine, T. Callaghan, M. Sonesson and L. O. Björn 691

Barley yellow dwarf virus: effects on carbohydrate metabolism in oat (*Avena sativa*) during cold hardening. By D. P. Livingston III, F. E. Gildow and Shu-Yen Liu 699

Natural occurrence of *ampelomyces* intracellular mycoparasites in mycelia of powdery mildew fungi. By L. Kiss 709

Association between microtubules and symbiotic fungal hyphae in protocorm cells of the orchid species, *Spiranthes sinensis*. By Y. Uetake and R. L. Peterson 715

The auxin transport inhibitor 2,3,5-triiodobenzoic acid (TIBA) inhibits the stimulation of *in vitro* lateral root formation and the colonization of the tap-root cortex of Norway spruce (*Picea abies*) seedlings by the ectomycorrhizal fungus *Laccaria bicolor*. By C. Karabaghli-Degron, B. Sotta, M. Bonnet, G. Gay and F. Le Tacon 723

Nitrogen and phosphorus acquisition by the mycelium of the ectomycorrhizal fungus *Paxillus involutus* and its effect on host nutrition. By B. Brandes, D. L. Godbold, A. J. Kuhn and G. Jentschke 735

Actin versus tubulin configuration in arbuscule-containing cells from mycorrhizal tobacco roots. By A. Genre and P. Bonfante 745

Survival of an introduced ectomycorrhizal *Laccaria bicolor* strain in a European forest plantation monitored by mitochondrial ribosomal DNA analysis. By M.-A. Selosse, F. Martin and F. Le Tacon 753

Reviews 763